



74094C - SPEC GRADE UFO HIGH BAY

200W 000K 120-277V






FEATURES:

- Black, die cast aluminum housing
- IP65 Wet Location Rated
- 0-10V Dimming
- 6KV Surge Protection
- 90 Degree Beam Angle
- Fin design on top to maintain proper heat dissipation
- DLC Premium & cULus Listed
- 5 Year Warranty
- Applications: Warehouse, factory, workshop, gymnasium, gas station, supermarket, etc.
- Easy to Install & Operate, Pendant and Surface Mount

Part#	Wattage	Voltage	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt	DLC PRODUCT ID#:
74094C	200W	120-277	27,981	4000K	82	0-10V	90°	139	S-IX63OD

PHOTOMETRY:



	Center Beam fc	Beam Width	
17.0ft	48.7 fc	32.4 ft	30.9 ft
34.0ft	12.2 fc	64.7 ft	61.7 ft
51.0ft	5.41 fc	97.1 ft	92.6 ft
68.0ft	3.04 fc	129.4 ft	123.5 ft
85.0ft	1.95 fc	161.8 ft	154.3 ft
102.0ft	1.35 fc	194.2 ft	185.2 ft

■ Vert. Spread: 87.2°
 ■ Horiz. Spread: 84.5°



74094C - SPEC GRADE UFO HIGH BAY

200W 4000K 120-277V

Technical Specifications:

Electrical:

Input Voltage: 120 - 277V

Current: 1.657A @ 120V

Frequency: 50/60Hz

Power Factor: ≥ 0.9

THD: $< 20\%$

Product Parameters:

200 Watts

Lumens: 27,981

Efficacy: 139 Lumens Per Watt

50,000+ L70 Life Span

CCT: 4000K

Chromaticity Measurements:

Beam Angle: 90°

CRI: > 80

Flicker Percent: $< 10\%$

R9: -3

DUV: +0.0004

Chromaticity (x,y): $x=0.3819$ $y=0.3786$

Chromaticity (u,v): $u=0.2253$ $v=0.5026$

Component Specifications:

LED: Seoul 2835

Driver: 120V 50/60Hz

Driver Output Volts: 150V/DC

6KV Surge Protection

Dimming:

0-10V / PWM

Operating Temperature:

Minimum Starting -40°F - 122°F

Construction:

Housing: Die Cast Aluminum Housing Powder Coated, Black Housing

IP Rating: IP65 Damp Location Rated

Lens Material: PC

Mounting: Surface Mount, Pendant Mount

Cord Length: 6 Feet

Listings: cULus

DLC PREMIUM PRODUCT ID#: S-IX630D

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).

