




77105 - HOT SHOT SQUARED SPORTS LIGHT

120-277V 5000K 400W



Optional configurations, bracket sold separately

FEATURES:

- Modular Sports Light
- Light Distribution: Type III
- Operation Temperature: -40°F - 113°F
- 50,000+ Hour LED Life Expectancy
- Housing Color: Black
- 5' Whip
- Direct Replacement for Metal Halide
- 10KV Surge Suppression
- IP65 Waterproof Rating
- Listings: cULus
- DLC PRODUCT ID#: S-K0CY7G
- 5 Year Warranty



Part#	Wattage	Voltage	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt	DLC PRODUCT ID#:
77105	400W	120-277V	54,503	5000K	>70	0-10V	Type III	136 lm/w	S-K0CY7G



77105 - HOT SHOT SQUARED SPORTS LIGHT

120-277V 5000K 400W


PHOTOMETRY



Illuminance at a Distance

	Center Beam fc	Beam Width	
4.0ft	4,709.6 fc	4.8 ft	4.8 ft
8.0ft	1,177.4 fc	9.6 ft	9.7 ft
12.0ft	523.3 fc	14.4 ft	14.5 ft
16.0ft	294.4 fc	19.2 ft	19.4 ft
20.0ft	188.4 fc	24.0 ft	24.2 ft

■ Vert. Spread: 61.9°
■ Horiz. Spread: 62.4°





77105 - HOT SHOT SQUARED SPORTS LIGHT

120-277V 5000K 400W

Technical Specifications:

Electrical:

Input Voltage: 120-277V

Current: 1.99A @ 120V

Frequency: 60Hz

Power Factor: ≥ 0.99

THD: <15%

Product Parameters:

400 Watts

Lumens: 54,503

Efficacy: 136 Lumens Per Watt

50,000+ Hour LED Life Span

CCT: 5000K (Cool White)

Chromaticity Measurements:

Beam Angle: Type III

BUG Rating: B5-U4-G2

CRI: >70

Component Specifications:

LED: SMD3030

Driver: 120-277V 50-60HZ

10,000KV Surge Protection

Dimming: 0-10V

Operating Temperature:

Minimum Starting -40°F - 113°F

Construction:

Housing: Aluminum, Powder Coated

5' Whip Length

IP Rating: IP65

Lens Material: Polycarbonate

Mounting: Yoke (Bracket) OR Slipfitter

EPA: 2.46ft²

Listings:

cULus

DLC PREMIUM PRODUCT ID#:

S-K0CY7G

Carton Qty: 1

Weight: 33 lbs

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).