




77113 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W



Optional configurations, bracket sold separately

FEATURES:

- Modular Sports Light
- Light Distribution: 15°
- Operation Temperature: -40°F - 113°F
- 50,000+ Hour LED Life Expectancy
- Housing Color: Black
- 5' Whip
- Direct Replacement for Metal Halide
- 10KV Surge Suppression
- IP65 Waterproof Rating
- Listings: cULus
- DLC PRODUCT ID#: S-2MK1IV
- 5 Year Warranty



Part#	Wattage	Voltage	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt	DLC PRODUCT ID#:
77113	400W	200-480V	53,559	5000K	>70	0-10V	15°	134 lm/w	S-2MK1IV



77113 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W


PHOTOMETRY



Illuminance at a Distance

	Center Beam fc	Beam Width	
4.0ft	27,841.9 fc	1.2 ft	1.2 ft
8.0ft	6,960.5 fc	2.4 ft	2.4 ft
12.0ft	3,093.5 fc	3.6 ft	3.7 ft
16.0ft	1,740.1 fc	4.7 ft	4.9 ft
20.0ft	1,113.7 fc	5.9 ft	6.1 ft

Vert. Spread: 16.9°
Horiz. Spread: 17.4°





77113 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W

Technical Specifications:

Electrical:

Input Voltage: 200-480V

Current: 0.86A @ 480V

Frequency: 60Hz

Power Factor: ≥ 0.99

THD: <15%

Product Parameters:

400 Watts

Lumens: 53,559

Efficacy: 134 Lumens Per Watt

50,000+ HourLED Life Span

CCT: 5000K (Cool White)

Chromaticity Measurements:

Beam Angle: 15°

Component Specifications:

LED: SMD3030

Driver: 120-277V 50-60HZ

10,000KV Surge Protection

Dimming: 0-10V

Operating Temperature:

Minimum Starting -40°F - 113°F

Construction:

Housing: Aluminum, Powder Coated

5' Whip Length

IP Rating: IP65

Lens Material: Polycarbonate

Mounting: Yoke (Bracket) OR Slipfitter

EPA: 3.73ft²

Listings:

cULus

DLC PREMIUM PRODUCT ID#: S-2MK1IV

Carton Qty: 1

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).