




77115 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W



Optional configurations, bracket sold separately

FEATURES:

- Modular Sports Light
- Light Distribution: 90°
- Operation Temperature: -40°F - 113°F
- 50,000+ Hour LED Life Expectancy
- Housing Color: Black
- 5' Whip
- Direct Replacement for Metal Halide
- 10KV Surge Suppression
- IP65 Waterproof Rating
- Listings: cULus
- DLC PRODUCT ID#: S-GXYW5V
- 5 Year Warranty



Part#	Wattage	Voltage	Lumens	CCT	CRI	Dimming	Light Pattern	Lumens/Watt	DLC PRODUCT ID#:
77115	400W	200-480V	52,424	5000K	>70	0-10V	90°	131 lm/w	S-GXYW5V



77115 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W


PHOTOMETRY



Illuminance at a Distance

Center Beam fc	Beam Width
4.0ft	1,971.1 fc 8.0 ft 8.0 ft
8.0ft	492.8 fc 15.9 ft 16.0 ft
12.0ft	219.0 fc 23.9 ft 23.9 ft
16.0ft	123.2 fc 31.8 ft 31.9 ft
20.0ft	78.8 fc 39.8 ft 39.9 ft

Vert. Spread: 89.7°
Horiz. Spread: 89.8°





77115 - HOT SHOT SQUARED SPORTS LIGHT

200-480V 5000K 400W

Technical Specifications:

Electrical:

Input Voltage: 200-480V

Current: 0.87A @ 480V

Frequency: 60Hz

Power Factor: ≥ 0.99

THD: <15%

Product Parameters:

400 Watts

Lumens: 52,424

Efficacy: 131 Lumens Per Watt

50,000+ HourLED Life Span

CCT: 5000K (Cool White)

Chromaticity Measurements:

Beam Angle: 90°

Component Specifications:

LED: SMD3030

Driver: 120-277V 50-60HZ

10,000KV Surge Protection

Dimming: 0-10V

Operating Temperature:

Minimum Starting -40°F - 113°F

Construction:

Housing: Aluminum, Powder Coated

5' Whip Length

IP Rating: IP65

Lens Material: Polycarbonate

Mounting: Yoke (Bracket) OR Slipfitter

EPA: 3.73ft²

Listings:

cULus

DLC PREMIUM PRODUCT ID#: S-GXYW5V

Carton Qty: 1

Warranty:

Morris Products carries a 5 year warranty from date of purchase against defects in materials and workmanship (assuming normal and proper usage).